

# CARTONING MACHINES

## **nomatech**

YOUR PACKAGING MACHINES

### BOX 60H



#### HORIZONTAL PRODUCT INSERTING INTO CARTON BOXES (END LOAD)

Output: up to 3000 packages/hr.\*





Device dimensions: w 3980 mm | d 1630 mm incl. infeed conveyor | h 1970 mm

Package dimensions: w 20-250 mm | l 120-300 mm | h 20-100 mm | individual request

Packed products: small, piece | pre-packed | product groups


Packing options: individual pieces | product groups | document insertion

Closure options: hot melt (Nordson) | tuck-in system



\*depending on packed amount, type of product and size of package

# BOX ROBO GROUP F | BOX ROBO GROUP N



## ROBOT GROUP CARTONING INTO TRAYS/CARTON BOXES

Output: up to 100 packages/min.\*



Device dimensions: w 1450 mm | d 3935 mm | h 1930 mm

Package dimensions: w 90-240 mm | l 200-400 mm | h 120-200 mm | individual request

Bag dimensions: w 85-235 mm | max. l 190 mm

Packed products: pre-packed bags | boxes

Manipulation: F type - robot Fanuc | N type - robotic arms Nomatech



# BOX 60V



## VERTICAL PRODUCT INSERTING INTO CARTON BOXES (TOP LOAD)

Output: up to 3000 packages/hr.\*





Device dimensions: w 2350 mm | d 2700 mm incl. infeed conveyor | h 2000 mm

Package dimensions: w 35-180 mm | l 35-180 mm | h 11-80 mm | individual request

Packed products: pieces | pre-packed bags

Packing options: individual pieces | product groups | document insertion

Closure options: hot melt (Nordson) | tuck-in system



# BOX 60H mini



## HORIZONTAL PRODUCT INSERTING INTO CARTON BOXES (END LOAD)

Output: up to 3600 packages/hr.\*




Device dimensions: w 2270 mm | d 1070 mm | h 2010 mm

Package dimensions: w 20-80 mm | l 70-180 mm | h 13-75 mm | individual request

Packed products: small | pieces

Packing options: individual pieces | product groups

Closure options: hot melt (Nordson) | tuck-in system



# CASE



## BAG/BOX GROUP CARTONING INTO CARTON BOXES (WRAPAROUND)

Output: up to 2300 packages/hr.\*



Device dimensions: w 5300 mm | d 3500 mm | h 2400 mm

Package dimensions: w 105-400 mm | l 200-600 mm | h 70-350 mm | individual request

Packed products: pieces

Packing options: individual pieces | product groups

Closure options: hot melt (Nordson) | adhesive tape



\*depending on packed amount, type of product and size of package

# BOX GROUP TOM



## CARTONING MACHINE FOR HORIZONTAL PRODUCT INSERTING INTO A BOX

**Output: up to 5400 packages/hr.\***

Device dimensions: w 3500 mm | d 1400 mm | h 2720 mm

Package dimensions: w 90-240 mm | l 300-500 mm | h 80-130 mm | individual request

Packed products: piece (regular shape) | packed bags

**Packing options: individual pieces**

Closure options: hot melt (Nordson) | tape



\*depending on packed amount, type of product and size of package

### OUR MANUFACTURE PROGRAM:

**TOBOGAN** Vertical packaging machines  
**VOLCANO** Multilane stickpack packaging machines  
**GOLEM** Bulk bags packaging machines  
**BOX** Cartoning machines

**CUBE** Brickpack packaging lines  
**CASE** Group packaging casepackers  
**ROBO** Manipulation lines, palletization  
**LUNA** Filling and mixing lines  
Wide range of accessories and more.



NOMATECH s.r.o.  
info@nomatech.net | www.nomatech.net | +420 317 843 235  
Vlasákova 1635 | 258 01 Vlašim | Czech Republic  
Tradition since 1965



Co-funded by  
the European Union

**nomatech**  
YOUR PACKAGING MACHINES