

# **TOBOGAN 250S**

# **VERTICAL PACKAGING MACHINE**

(with multihead weighers and other accessories)
































#### PRODUCTION OF SINGLE BAGS FROM HEAT OR IMPULSE SEALABLE PACKING MATERIAL

Output: up to 100 cycles/min.\*

Device dimensions: w 1200 mm d 1800 mm h 1600 mm w/o dosing device

Bag dimensions: w 32-250 mm | I 60-350 mm

Packed products: loose (powder, granules) | small, piece | liquids, paste







# **BOX ROBO GROUP**

# **ROBOTIC CARTONING DEVICE**









#### **ROBOTIC GROUP PACKING INTO CARTON TRAYS/BOXES**

Output: up to 6000 bags/hr.\*

Device dimensions: w 1450 mm | d 3935 mm | h 1930 mm

Box dimensions: w 90-180 mm | I 200-400 mm | h 150-200 mm | individual request

Bag dimensions: max. w 150 mm | I 190 mm

Packed products: prepacked bags, boxes



### **BOX 60H**

# HORIZONTAL CARTONING DEVICE

(with a horizontal flowpack packaging machine)





#### HORIZONTAL PRODUCT INSERTING INTO CARTON BOXES (END LOAD)

Output: up to 3000 packages/hr.\*

Device dimensions: w 3980 mm | d 1630 mm incl. feeding conveyor | h 1970 mm

Box dimensions: w 20-250 mm | I 120-300 mm | h 20-100 mm | individual request

Packed products: small, piece | pre-packed


Packing options: individual pieces | product groups

Box closing: hot melt | tuck-in system



# **BOX 60V**

# **VERTICAL CARTONING DEVICE**





#### **VERTICAL PRODUCT INSERTING INTO CARTON BOXES (TOP LOAD)**

Output: up to 3000 packages/hr.\*

Device dimensions: w 2350 mm | d 2700 mm incl. feeding conveyor | h 2000 mm

Box dimensions: w 35-180 mm | I 35-180 mm | h 11-80 mm | individual request

Packed products: small, piece loose | filled bags

Packing options: individual pieces | product groups

Box closing: hot melt | tuck-in system





# **BOX 60H mini**

# HORIZONTAL CARTONING DEVICE





#### HORIZONTAL PRODUCT INSERTING INTO CARTON BOXES (END LOAD)

Output: up to 3600 packages/hr.\*


Device dimensions: w 2270 mm | d 1070 mm | h 2010 mm

Box dimensions: w 20-80 mm | I 70-180 mm | h 13-75 mm | individual request

Packed products: small, piece

Packing options: individual pieces | product groups

Box closing: hot melt | tuck-in system







# GOLEM 600S BAGGING LINE (with an auger doser)









Output: up to 600 bags/hr.\*

Device dimensions: w 4970 mm | d 3930 mm | h 2800 mm w/o dosing device

Bag volume: up to 75 l | individual request

Bag closing: sewing | glueing | sealing | stretch band

Packed products: loose (powder, granules) | small, piece

\*depending on packed amount, type of product and size of package





#### **OUR MANUFACTURE PROGRAM:**

TOBOGAN Vertical packaging machines
VOLCANO Multilane stickpack packaging machines
GOLEM Bulk bags packaging machines
BOX Cartoning machines

CUBE Brickpack packaging lines
CASE Group packaging casepackers
ROBO Manipulation lines, palletising

Wide range of accessories and more.



info@nomatech.net | www.nomatech.net | +420 317 843 235 Vlasákova 1635 | 258 01 Vlašim | Czech Republic Tradition since 1965



